

SISTEMI FUMARI INOX 304

A QUALITÀ CERTIFICATA E ASSICURATA



EN 1856-2:2009

SISTEMI FUMARI PER CAMINETTI - INOX 304



SPEDIZIONE IN
1-5 GIORNI



A RICHIESTA SPEDIZIONE IN
24 ORE DEGLI ARTICOLI
IN PRONTA CONSEGNA

Fig. 1 CFS 304 elemento dritto L = 1000












 	Ø	Codice	Codice confezione	Pz.
	[mm]			
	80	3304025204040	330402520404012	12
	100	3304025204080	330402520408009	9
	110	3304025204120	-	-
	120	3304025204160	330402520416012	12
	130	3304025204200	330402520420011	11
	140	3304025204240	330402520424010	10
	150	3304025204280	330402520428008	8
	160	3304025204320	330402520432007	7
	180	3304025204360	330402520436006	6
	200	3304025204400	330402520440009	9
	220	3304025204420	-	-
	250	3304025204440	330402520444012	12
	300	3305025204480	330502520448008	8
	350	3305025204520	330502520452006	6
	400	3305025204560	330502520456004	4

Fig. 2 CFS 304 elemento dritto L = 500























 	Ø	Codice	Codice confezione	Pz.
	[mm]			
	80	3304025202040	330402520204012	12
	100	3304025202080	330402520208009	9
	110	3304025202120	-	-
	120	3304025202160	330402520216006	6
	130	3304025202200	330402520220005	5
	140	3304025202240	330402520224004	4
	150	3304025202280	330402520228004	4
	160	3304025202320	330402520232003	3
	180	3304025202360	330402520236006	6
	200	3304025202400	330402520240004	4
	220	3304025202420	-	-
	250	3304025202440	330402520244002	2
	300	3305025202480	330502520248002	2
	350	3305025202520	-	-
	400	3305025202560	-	-

Fig. 3 CFS 304 elemento dritto L = 330

 	Ø	Codice	Codice confezione	Pz.
	[mm]			
	80	3304025200040	330402520004012	12
	100	3304025200080	330402520008009	9
	110	3304025200120	-	-
	120	3304025200160	330402520016006	6
	130	3304025200200	330402520020005	5
	140	3304025200240	330402520024004	4
	150	3304025200280	330402520028004	4
	160	3304025200320	330402520032003	3
	180	3304025200360	330402520036006	6
	200	3304025200400	330402520040004	4
	220	3304025200420	-	-
	250	3304025200440	330402520044002	2
	300	3305025200480	330502520048002	2
	350	3305025200520	-	-
	400	3305025200560	-	-




SPEDIZIONE IN
1-5 GIORNI




A RICHIESTA SPEDIZIONE IN
24 ORE DEGLI ARTICOLI
IN PRONTA CONSEGNA

Fig. 70 CFS 304 Curva 30°




	Ø	A	B	Codice	Codice confezione	Pz.
	[mm]					
	80	44	106	3304025210040	330402521004015	15
	100	45	111	3304025210080	330402521008016	16
	110	46	114	3304025210120	-	-
	120	47	116	3304025210160	330402521016012	12
	130	47	119	3304025210200	330402521020009	9
	140	48	121	3304025210240	330402521024009	9
	150	49	124	3304025210280	330402521028006	6
	160	49	126	3304025210320	330402521032006	6
	180	51	131	3304025210360	330402521036004	4
	200	52	136	3304025210400	330402521040008	8
	220	53	141	3304025210420	-	-
	250	55	149	3304025210440	330402521044006	6
	300	59	161	3305025210480	330502521048002	2
	350	62	174	3305025210520	-	-
	400	65	186	3305025210560	-	-

Fig. 5 CFS 304 Curva 45°



	Ø	A	B	Codice	Codice confezione	Pz.
	[mm]					
	80	66	102	3304025212040	330402521204015	15
	100	69	109	3304025212080	330402521208016	16
	110	71	113	3304025212120	-	-
	120	72	116	3304025212160	330402521216012	12
	130	74	120	3304025212200	330402521220009	9
	140	75	123	3304025212240	330402521224009	9
	150	76	127	3304025212280	330402521228006	6
	160	78	131	3304025212320	330402521232006	6
	180	81	138	3304025212360	330402521236004	4
	200	84	145	3304025212400	330402521240008	8
	220	87	152	3304025212420	-	-
	250	91	162	3304025212440	330402521244006	6
	300	98	180	3305025212480	330502521248002	2
	350	106	198	3305025212520	-	-
	400	113	215	3305025212560	-	-

Fig. 6 CFS 304 Curva 90°



	Ø	A	B	Codice	Codice confezione	Pz.
	[mm]					
	80	124	174	3304025214040	330402521404015	15
	100	134	184	3304025214080	330402521408008	8
	110	139	189	3304025214120	-	-
	120	144	194	3304025214160	330402521416006	6
	130	149	199	3304025214200	330402521420005	5
	140	154	204	3304025214240	330402521424004	4
	150	159	209	3304025214280	330402521428003	3
	160	164	214	3304025214320	330402521432003	3
	180	174	224	3304025214360	330402521436002	2
	200	184	234	3304025214400	330402521440004	4
	220	193	243	3304025214420	-	-
	250	209	259	3304025214440	330402521444002	2
	300	234	284	3305025214480	330502521448002	2
	350	274	326	3305025214520	-	-
	400	312	364	3305025214560	-	-

PER GLI
ACCESSORI
VEDERE DA
PAG. 22