

# LISA<sup>®</sup> 22 BLACK

## ELECTRIC For domotic control

CE EUROPEAN  
WARRANTY

NEW



### FOR DOMOTIC CONTROL

- Electric heater without thermostat for external home automation control

*The radiator can only be used with a home automation management system or external thermostat equipped with weekly programming, open window sensor etc. compliant with EU Regulation 2015/1188.*

### Material:

- Curved horizontal heating elements in painted mild steel 30x40 mm.
- Horizontal heating elements in painted mild steel  $\varnothing$  22 mm.
- Heat transfer fluid.

### Fixing kit:

The fixing kit is in compliance with norm VDI 6036, that guarantees maximum resistance, security and stability of the towel rail. Each kit includes brackets, hexagonal tool, plugs and screws suitable for use on either compact or hollow brick walls. For a correct assembly always refer to the user manual supplied.



## ACCESSORIES

For Accessories range see Accessories chapter



KIT 2 HOOKS  
CHROMED

Art. nr. 5991990310303



TOWEL BAR  
CHROMED  
Width= 370 mm

Art. nr. 5991990310302

Applicable only for width  $\geq$  450 mm

Electrical resistors: **Class 1**

Minimum ingress protection: **IP 54**

Power supply: **230Vac**

### Packing:

Carton angular and profiles protected by a recyclable film in polyethylene. User notice included.

### Painting process:


Painted with ecological epoxy powders. (Certificate DIN 55900-1,-2).

### Color:

T01 Matt Black.


### Electrical resistors:

Electric heater with chrome-plated cap and 1200 mm grey cable, and to be used in combination with an external home automation system.



**NEW**

## LISA® 22 BLACK ELECTRIC - FOR DOMOTIC CONTROL



Electric heater with chrome-plated cap and 1200 mm grey cable, for external home automation control.


Height [mm]	Width L [mm]	Art. nr.	Output [Watt]	Weight [Kg]
<b>700</b>	400	3581646100160	300	7.0
	500	3581646100161	400	8.0
<b>1160</b>	400	3581646100162	400	11.0
	450	3581646100163	500	11.6
<b>1385</b>	500	3581646100164	600	12.2
	400	3581646100165	500	13.2
<b>1732</b>	500	3581646100166	700	15.2
	500	3581646100167	900	18.2

The radiator can only be used with a home automation management system or external thermostat equipped with weekly programming, open window sensor etc. compliant with EU Regulation 2015/1188.



All Cordivari electric radiators are in line with the new European regulation UE 2015/1188. The new regulation imposes a seasonal energy efficiency of electrical appliances for ambient heating with a nominal thermal output over 250 W and not less than 38%. Each of the ErP electric radiator is equipped with at least electronic temperature control, window opening detection and weekly programmer.

## HOW TO PLACE ELECTRIC RADIATORS



The national rules on installing electrical equipment in the bathroom must be scrupulously respected. The electric radiators must be always installed outside zone 1 and 2.

In particular the electric switch and control elements must be mandatorily located in zone 3, in order that no electrical control center is accessible to a anyone using the shower or bath.